

A PROPOSAL GRANTED BY THE:

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

TITLE:

LATE STAGES IN THE EVOLUTION OF GALACTIC NOVAE IN OUTBURST

GRANT NUMBER: NAG 5-481 (SUPPLEMENT 6)

FINAL REPORT

PRINCIPAL INVESTIGATOR:

Sumner Starrfield  
Department of Physics  
Arizona State University  
Tempe, AZ 85287  
(602) 965 - 3561  
S.S. # [REDACTED]

GRANTEE INSTITUTION: ARIZONA STATE UNIVERSITY

FINAL  
1W-90-612  
89CIT.  
34686

We made significant progress in our understanding of the final stages of evolution of novae in outburst. In this final report, which is accompanied by a brief resume, I will concentrate on only 3 outbursts: Nova V1974 Cyg 1992, Nova GQ Mus 1983, and Nova RS Oph 1985. Each of these novae was very different from the other two and IUE provided useful and unique data on a particular outburst.

I first discuss the IUE observations of the combined X-ray and UV turnoff of GQ Mus. Both GQ Mus and V1974 Cyg were observed to turnoff in X-rays by ROSAT. The turnoff of V1974 Cyg was also observed with EUVE. GQ Mus was observed near the beginning of its outburst with EXOSAT and then 7 years later by ROSAT in the All Sky Survey. Later ROSAT PSPC observations showed that its X-ray intensity was slowly declining with time and it was not detected in the last pointing that occurred in August 1993. We observed GQ Mus with IUE over the entire active phase of its outburst and found a change in the slope of the UV continuum around the time that the X-rays turned off. V1974 Cyg was observed by ROSAT throughout its entire active phase in X-rays which lasted about 18 months. V1974 Cyg was detected in the EUVE All Sky Survey, but not in pointed observations that occurred in August 1993 (and June and November 1994). We use the measured times of the active phases to determine important properties of these two novae. For example, for V1974 Cyg we predict that more than  $10^{-5}M_{\odot}$  of helium rich material was left on the white dwarf when it returned to quiescence. For GQ Mus, about  $10^{-4}M_{\odot}$  was left on the white dwarf. These results imply that a significant amount of the helium seen in nova ejecta was produced in outbursts prior to the one that was just observed. They also imply that the mechanism which mixes core material into the ejecta must be efficient.

We were also able to combine our IUE observations with X-ray observations of V1974 Cyg. In a recent paper, we presented new data on the variations of the ultraviolet nitrogen lines during the late, optically thin stages, of the outburst of V1974 Cygni. These show that after roughly JD 2449200 (1993 July), about 500 days after discovery, the ejecta reached maximum ionization and then started to recombine. The decline in ionization coincided with the X-ray turnoff observed with ROSAT. We derived densities for the ejecta at this stage, and used these to discuss the development of the ejecta. The decline with time of the UV emission lines, especially He II 1640Å, shows that the ejecta must have a linear velocity structure. This agrees with models for the ejection by an explosion and models that we have previously published for

the line profiles. We then model the variations of the X-rays from this nova. We show that the ROSAT rise can be modeled assuming a constant luminosity central source, at approximately the Eddington limit for a massive white dwarf and an effective temperature of about  $4 \times 10^5 \text{K}$ , using only a decreasing X-ray optical depth within the ejecta, as previously noted by Krautter et al. (1996). This model can be generalized to explain the absence of X-ray emission during the early outburst stages of any nova. Lastly, we show that the final decline in the X-rays requires a substantial decrease in both the luminosity and temperature of the central star, in agreement with expectations for thermonuclear burnout on the surface of the white dwarf.

We also studied the 1985 outburst of RS Oph using spectra obtained with IUE and contemporaneous groundbased optical spectra. The low resolution integrated fluxes show that a short-lived constant bolometric luminosity phase existed in the early outburst. If this reached the Eddington luminosity, it implies a minimum mass for the white dwarf of  $1.2M_{\odot}$ . This and the lack of evidence for eclipses in ultraviolet low resolution spectra obtained in quiescence support the orbital solution of Dobrzycka and Kenyon (1994), in particular the low inclination of the system and the low mass,  $0.5M_{\odot}$ , of the red giant. The high resolution optical and ultraviolet line profiles showed the development of two separate contributors. One was a broad line component produced by emission from the high velocity ejecta. The other was a narrow line component produced in the portion of the red giant wind that was ionized by the UV pulse from the explosion and by radiation from the shock produced by the passage of the ejecta through the wind. The expanding Stromgren sphere had two effects. Absorption from the overlying wind decreased against the ejecta and the ionized emitting gas, and the emission measure increased within the expanding H II region. We model these effects to show how the column density of the cool material decreased with time using the techniques developed in Shore and Aufdenberg (1993). We show that the increased ionization of the wind account for changes in the absorption line components in the ultraviolet and use this decrease and the narrow emission line ratios to determine the physical parameters for the line forming region in the wind. From this, we derive the mass loss rate for the red giant. In addition, we find evidence for a nitrogen overabundance in the wind from the time development of the N V 1240Å doublet. The primary source for ionizing the red giant wind was radiation produced by the shocked ejecta as they traversed the stellar wind. The shock-generated emission also powered the coronal species until about 100 days after outburst at which time shock breakout occurred. The ionized wind subsequently

recombined, although a hot source was still present on the white dwarf on the basis of continued visibility of the ultraviolet O III fluorescence lines and the IR He I 1.08 $\mu$ m line. Finally, we discuss how many of the techniques developed in this study of a photoionizing pulse propagating into a dense environment can be applied to the analysis of active galactic nuclei.

SUMNER STARRFIELD  
PUBLICATIONS (January 1996):

1. REFEREED ARTICLES

- 71) "Periodic Photometric Variability of the Black Hole Binary V404 Cygni", R. M. Wagner, T. J. Kreidl, S. B. Howell, S. Starrfield, *ApJ Lett.*, **401**, L97, 1992.
- 73) "UV Continuum Variability and Visual Flickering in the Peculiar Object MWC 560" A. G. Michalitsianos, M. Perez, S. N. Shore, S. P. Maran, M. Karovska, G. Sonneborn, J. R. Webb, T. G. Barnes, M. L. Frueh, R. J. Oliverson, and S. Starrfield, *ApJ Lett.*, **409**, L53, 1993.
- 75) "The Heating of Nova Ejecta by Radioactive Decays of the  $\beta$ -Unstable Nuclei" S. Pistinner, G. Shaviv, and S. Starrfield, *Ap. J.*, **437**, 794-801, 1994.
- 76) "The Early Ultraviolet Spectral Evolution of Nova Cygni 1992" S. N. Shore, G. Sonneborn, S. Starrfield, R. Gonzalez-Riestra, T. B. Ake, *AJ*, **106**, 2408-2428, 1993.
- 77) "The Early Bolometric Evolution of Nova Cygni 1992" S. N. Shore, G. Sonneborn, S. Starrfield, R. Gonzalez-Riestra, and R. Polidan, *Ap.J.*, **421**, 344-349, 1994.
- 78) "Non-LTE Model Atmosphere Analysis of Nova Cygni 1992" P. H. Hauschildt, S. Starrfield, S. Austin, R. M. Wagner, S. N. Shore, G. Sonneborn, *ApJ*, **422**, 831-844, 1994.
- 79) "Evolutionary Sequences of Very Hot, Low Mass, Accreting White Dwarfs with Application to Symbiotic Variables and Ultra-soft Low Luminosity X-ray Sources" E. M. Sion and S. Starrfield, *ApJ*, **421**, 261-268, 1994.
- 80) "Hydrodynamic Studies of Accretion onto Massive White Dwarfs: ONeMg-Enriched Nova Outbursts. 1. Dependence on White Dwarf Mass" M. Politano, S. Starrfield, J. W. Truran, W. M. Sparks, and A. Weiss, *ApJ*, **448**, 807-821, 1995.
- 81) "The Early Ultraviolet, Optical, and Radio Evolution of the Soft X-Ray Transient GRO J0422+32", C. R. Shrader, R. M. Wagner, R. M. Hjellming, X. H. Han, and S. Starrfield, *ApJ*, **434**, 698-706, 1994.
- 83) "The Early Spectral Evolution of Nova Cassiopeiae 1993" Hauschildt, P. H., Starrfield, S., Shore, S. N., Gonzalez-Riestra, R., Sonneborn, G., and Allard, F. *AJ*, **108**, 1008-1015, 1994.
- 84) "Ultraviolet Detection of Dust Formation in Nova Cassiopeiae 1993" Shore, S. N., Starrfield, S., Gonzalez-Riestra, R., Hauschildt, P. H., and Sonneborn, G. *NATURE*, **369**, 539-541 (16 June 1994), 1994.
- 85) "Element Abundances of Classical Novae", J. Andrea, H. Drechsel, and S. Starrfield *Astron. & Astrophys.*, **291**, 869-889, 1994.
- 86) "Some Remarks About Nova Spectroscopy and Photometry" S. Pistinner, G. Shaviv, P. H. Hauschildt, and S. Starrfield *ApJ*, **451**, 724-738, 1995.
- 87) "The Physics of Early Nova Spectra" P. H. Hauschildt, S. Starrfield, S. N. Shore, F. Allard, and E. Baron *ApJ*, **447**, 829-847, 1995.
- 88) "Rosat X-ray Observations of Nova Cygni: The Rise, Decline, and Fall of the Brightest Supersoft X-ray Source" J. Krautter, H. Ögelman, S. Starrfield, R. Wichmann, and J. Trumper, *ApJ*, **456**, 788-797, 1996.
- 89) "On the Interpretation of the Ultraviolet Spectra of Symbiotic Stars and Recurrent Novae. II The 1985 Outburst of RS Ophiuchi" S. Shore, S. Kenyon, S. Starrfield, and G. Sonneborn, *ApJ*, **456**, 717-737, 1996.

- 90) "Nova V351 Puppis 1991: A Multiwavelength Study of the Nebular Phase" P. Saizar, I. Pachoulakis, S. N. Shore, S. Starrfield, R. E. Williams, and E. Rotschild, MNRAS, in press, 1995.
- 91) "Hubble Space Telescope Observations of Cool White Dwarf Stars: Detection of New Species of Heavy Elements" H. Shipman, ..., S. Starrfield, ... AJ, 109, 1231-1238, 1995.
- 92) "The Effects of Fe II NLTE on Nova Atmospheres and Spectra" P. H. Hauschildt, E. Baron, S. Starrfield, and F. Allard, ApJ, in press, 1996.
- 93) "V1974 Cygni 1992: Optical and Ultraviolet Evolution and Analysis" S. J. Austin, R. M. Wagner, S. Starrfield, S. N. Shore, G. Sonneborn, and R. Bertram, AJ, in press, 1996.
- 94) "The Hot Winds of Novae", P. H. Hauschildt, S. Starrfield, E. Baron, F. Allard, in "Proceedings of IAU Conference #152: Astrophysics in the EUV", ed. S. Bowyer (Cambridge: University Press), in press. 1996
- 95) "The X-ray and EUV Turnoff of GQ Mus and V1974 Cyg", S. Starrfield, J. Krautter, S. N. Shore, I. Idan, G. Shaviv, and G. Sonneborn, in "Proceedings of IAU Conference #152: Astrophysics in the EUV", ed. S. Bowyer (Netherlands: Kluwer), 419-424, 1996

## 2. BOOKS AND CHAPTERS IN BOOKS

- 5) "The Classical Nova Outburst" in *Multiwavelength Observations in Astrophysics*, ed. F. A. Cordova (Cambridge: Cambridge Univ. Press), p 159-188, 1988.
- 6) "Theory and Observations of Classical Novae in Outburst" in *The Realm of Interacting Binary Stars*, ed. J. Sahade, G. E. McCluskey, Jr., and Y. Kondo, (Dordrecht: Kluwer), p. 209-246, 1993.
- 7) "Recent Advances in Studies of the Nova Outburst", in *Variability in Stars and Galaxies: Reviews in Modern Astronomy 5*, ed. G. Klare, (Heidelberg: Springer-Verlag), p. 73-96, 1992.
- 8) "The Studies of Novae from Schatzman 1949 to Cygni 1992" in *Physical Processes in Astrophysics*, ed. I. Roxburgh and J. L. Masnou (Springer: Heidelberg), 99-128, 1995.

## 3. INVITED REVIEW ARTICLES

- 13) "Multiwavelength Observations of Novae in Outburst", in *Physics of Classical Novae*, ed. A. Cassatella and R. Viotti, (Heidelberg: Springer-Verlag), pp 127-137, 1991.
- 14) "The Thermonuclear Runaway Model", W. M. Sparks, G. S. Kutter, S. Starrfield, and J. W. Truran, in *Physics of Classical Novae*, ed. A. Cassatella and R. Viotti, (Heidelberg: Springer-Verlag), pp. 361-372, 1991.
- 15) "Model Atmospheres for Novae During the Early Stages", R. Wehrse, P. H. Hauschildt, G. Shaviv, and S. Starrfield, in *Physics of Classical Novae*, ed. A. Cassatella and R. Viotti, (Heidelberg: Springer-Verlag), pp 264-276, 1991
- 16) "The 1989 Outburst of V404 Cyg", S. Starrfield, and R. M. Wagner, **News and Views: Nature**, **343**, 215, 1990.
- 17) "Report of the Advisory Committee for Astronomical Sciences of the NSF; Subcommittee for Theory, Experimental, and Laboratory Astrophysics" J. Black, J. Castor, J. Eilek, E. Herbst, S. Jordan, D. Spergel, S. Starrfield, W. Watson in *The Long Range Planning for Astronomy and Astrophysics*, NSF Publications, 1990.

- 18) "The Impact of IUE on Studies of the Nova Outburst: 1986-1990", in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), p. 101-108, 1990.
- 19) "X-rays and Gamma-ray Emission from Classical Novae Outbursts", J. W. Truran, S. Starrfield, and W. M. Sparks, in *The Compton Observatory Science Workshop*, ed. C. Shrader, N. Gehrels, and B. Dennis (NASA Conference Publication 3137), p. 369-376, 1992.
- 20) "Ultraviolet Studies of Novae in the Large Magellanic Cloud" S. Starrfield, P. H. Hauschildt, S. N. Shore, G. Sonneborn, R. Gonzalez-Riestra, W. M. Sparks, in *New Aspects of Magellanic Cloud Research*, ed B. Baschek, G. Klare and J. Lequeux (Springer-Verlag: Heidelberg), 181-194, 1993.
- 21) "Nucleosynthesis in Nova Explosions" S. Starrfield, J. W. Truran, W. M. Sparks, M. Politano, I. Nofar, and G. Shaviv, in "Origin and Evolution of the Elements", ed. N. Prantzos, E. Vangioni-Flam, and M. Casse, (Cambridge, University Press), p. 337-343, 1993.
- 22) "Nova Cygni 1992: The Nearest Neon Nova" Invited talk: 181st Meeting AAS at Phoenix, AZ, Abstract in *Bulletin Amer. Ast. Soc.*, **24**, 1221.
- 23) "Nova Cygni 1992: The Nearest Neon Nova" in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol) p. 105-108, 1993.
- 24) "The Heating and Cooling of WZ Sge" W. M. Sparks, E. M. Sion, S. Starrfield, and S. Austin, in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol) p. 96-99, 1993
- 25) "Non-LTE Model Atmosphere Studies of Nova Cygni 1992" P. H. Hauschildt, S. Starrfield, S. Austin, S. N. Shore, R. Wehrse, and G. Shaviv, in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv (Institute of Physics: Bristol), p. 109-112, 1993.
- 26) "Rosat Observations of Nova Cygni 1992" J. Krautter, H. Ögelman, S. Starrfield, J. Truemper, and R. Wichmann in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol), p. 28, 1993.
- 27) "Nova Cygni 1992: Nova of the Century", S. Starrfield and S. N. Shore, *Sky and Telescope*, **87**, No. 2 (February), p. 20-25, 1994.
- 28) "Nova Cas 1993: A Nova for the Holidays", S. N. Shore and S. Starrfield, *Sky and Telescope*, **87**, No. 4 (April), p.42-44, 1994
- 29) "Rosat Observations of V1974 Cyg: The Brightest SSS X-ray Source", S. Starrfield, J. Krautter, H. Ögelman, R. Wichmann, and J. Truemper, *BAAS*, **26**, 946, 1994 (Invited Oral Talk).
- 30) "GHRS and IUE Observations of Nova Cygni 1992: Watching the Veil Lift", S. N. Shore, S. Starrfield, G. Sonneborn, R. Gonzalez-Riestra, and T. B. Ake, *BAAS*, **26**, 946, 1994 (Invited Oral Talk).
- 31) "The Birth and Death of Nova V1974 Cygni", S. Starrfield and S. N. Shore *Scientific American*, January, 76-81, 1995
- 32) "Nucleosynthesis and the Nova Outburst", S. Starrfield, J. W. Truran, and M. Weischer, in "Cosmic Abundances" ed. S. Holt (Publications ASP), in press, 1996.

#### 4. CONTRIBUTED PAPERS IN CONFERENCE PROCEEDINGS

- 39) "Late Stages in the Evolution of Classical Novae", S. Starrfield, J. Krautter, G. Sonneborn, S. N. Shore, R. M. Wagner, S. Austin, P. Saizar, G. Ferland, R. Wade, R. D. Gehrz, J. W. Truran, W. M. Sparks, G. Shaviv, and R. E. Williams. in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp 451-455, 1990.
- 40) "PW Vul: A Classical Nova with Nearly Solar Abundances," P. Saizar, S. Starrfield, S. Austin, G. J. Ferland, R. M. Wagner, J. W. Truran, G. Sonneborn, S. J. Kenyon, W. M. Sparks, R. E. Williams, R. Wade, and R. D. Gehrz, in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 435-438, 1990.
- 41) "IUE Observations of Galactic and Extragalactic Recurrent Novae", S. N. Shore, G. Sonneborn, and S. Starrfield, in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 447-450, 1990.
- 42) "Ultraviolet Light Curves of Galactic and Extra-galactic Classical CNO Novae: PW Vul, OS And, LMC 1988 #1 and #2", S. Austin, S. Starrfield, P. Saizar, S. N. Shore, and G. Sonneborn, in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 367-370, 1990.
- 43) "Nova LMC 1990 #1: The First Extragalactic Neon Nova", G. Sonneborn, S. N. Shore, and S. Starrfield, in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 439-442, 1990.
- 44) "Nova LMC 1990 #2: The First Extragalactic Recurrent Nova", S. N. Shore, G. Sonneborn, and S. Starrfield, in, *Evolution in Astrophysics: IUE Astronomy in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 443-446, 1990.
- 45) "Model Atmospheres for the Early Stages of Novae in Outburst", R. Wehrse, P. Hauschildt, G. Shaviv, and S. Starrfield, in, *Evolut. in Astrophys.: IUE Astro. in the Era of New Space Missions*, ed. E. Rolfe (ESA SP 310: Noordwijk), pp. 461-466, 1990.
- 46) "The Formation of  $^{26}\text{Al}$  in Nova Explosions", I. Nofar, G. Shaviv, and S. Starrfield, in *Proceedings of the International Symposium on Nuclei in the Cosmos*, ed. H. Oberhummer and W. Hillebrandt (MPA/P4: Garching), 119-125, 1990
- 47) "Nonradial Instability Strips for Post AGB-Stars", L. Stanghellini, A. N. Cox, S. Starrfield, in *Confrontation between Stellar Pulsation and Evolution*, ed. C. Cacciari and G. Clementini, (Ast. Soc. Pac Press: San Francisco), 524-528, 1990.
- 48) "Pulsations of the White Dwarf Component in V471 Tauri- Like Binaries", L. Stanghellini, A. N. Cox, S. Starrfield, in *Confrontation between Stellar Pulsation and Evolution*, ed. C. Cacciari and G. Clementini, (Ast. Soc. Pac Press: San Francisco) 582-585, 1990.
- 49) "A Burst from a Thermonuclear Runaway on an ONeMg White Dwarf", S. Starrfield, M. Politano, J. W. Truran, W. M. Sparks, in "Second GRO Science Conference", ed. C. Shrader, N. Gehrels, and B. Dennis (NASA CP 3137), 377-386, 1992.
- 50) "WZ Sge: an Accretion Test Case", W. M. Sparks, E. M. Sion, S. Starrfield, and S. Austin, in *Vina del Mar Workshop on Cataclysmic Variable Stars*, ed. N. Vogt (Ast. Soc. Pac. Press: San Francisco), 167-172, 1992.
- 51) "Model Atmospheres for Novae During the Early Stages", P. H. Hauschildt, R. Wehrse, S. Starrfield, and G. Shaviv, in *Vina del Mar Workshop on Cataclysmic Variable Stars*, ed. N. Vogt (Ast. Soc. Pac. Press: San Francisco), 178-189, 1992.
- 52) "Photoionization Modelling of Nova LMC 1990 #1", M. A. Dopita, S. J. Meatheringham, R. Sutherland,



- R. E. Williams, S. Starrfield, G. Sonneborn, and S. N. Shore, in *New Aspects of Magellanic Cloud Research*, B. Baschek, G. Klare, and J. Lequeux, (Heidelberg: Springer-Verlag), p. 195-196, 1993.
- 53) "Non-LTE Expanding Model Atmosphere Studies of LMC Novae", P. H. Hauschildt, S. Starrfield, R. Wehrse, and G. Shaviv in *New Aspects of Magellanic Cloud Research*, ed. B. Baschek, G. Klare, and J. Lequeux (Heidelberg: Springer-Verlag), 197-198, 1993.
  - 54) "The Production of  $^{22}\text{Na}$  and  $^{26}\text{Al}$  in Nova Explosions: The Observational Picture", S. Starrfield, S. N. Shore, G. Sonneborn, R. Gonzalez-Riestra, W. M. Sparks, J. W. Truran, M. A. Dopita, and R. E. Williams, in *The Compton Gamma Ray Observatory: AIP Conference Proceedings # 280*, ed. M. Friedlander, N. Gehrels, D. Macomb (AIP: New York), p. 168-173, 1993.
  - 55) "The Production of  $^{22}\text{Na}$  and  $^{26}\text{Al}$  in Nova Explosions" J. W. Truran and S. Starrfield, in *The Compton Gamma Ray Observatory: AIP Conference Proceedings # 280*, ed. M. Friedlander, N. Gehrels, D. Macomb (AIP: New York), p. 163-167, 1993.
  - 56) "Ultraviolet, Optical, and Radio Observations of the Transient X-ray Source GRO J0422+32" C. R. Shrader, R. M. Wagner, S. Starrfield, R. Hjellming, and X. H. Han, in *The Compton Gamma Ray Observatory: AIP Conference Proceedings # 280*, ed. M. Friedlander, N. Gehrels, D. Macomb (AIP: New York), p. 324-329, 1993.
  - 57) "Rosat All-Sky Survey Detections of Classical Novae and Related Objects" M. Orio, H. Ögelman, W. Pietsch, A. Bianchini, M. Della Valle, J. Krautter, and S. Starrfield, in *Advances in Space Research*, 13, (12)351, 1993.
  - 58) "Novae at Maximum Light: They can be Cool!" Hauschildt, P. H., Starrfield, S., Allard, F. 1994, in Proc. 8th Cambridge Workshop on Cool Stars, ASP conference Series #64, ed. J.-P. Caillault, P 705-.
  - 59) "The Interpretation of Early Nova Spectra" Hauschildt, P. H., Starrfield, S., Shore, S. N., Allard, F., and Baron, E. 1995, in Proc. Padova-Abano Terme Conf on CV's, ed. M. Dellavalle (Springer-Verlag), in press.
  - 60) "The Outburst of Nova Cas 1993" Starrfield, S., Hauschildt, P. H., Shore, S. N., Gonzalez-Riestra, R., Sonneborn, G., and Allard, F. 1995, in Proc. Padova-Abano Terme Conf on CV's, ed. M. Dellavalle (Springer-Verlag), in press.
  - 61) "RS Oph: A Recurrent Nova Explosion Inside the Outer Layers of a Cool Giant", S. Starrfield, S. N. Shore, S. J. Kenyon, G. Sonneborn, in "Proceedings 9th Cool Star Workshop", ed. G. Pallavacini (PASP Conference Proceedings), in press, 1996.

## 5. ABSTRACTS

- 29) "A Physical Interpretation of the Effective Temperature Distribution Function of Cataclysmic Variables", W. M. Sparks, E. M. Sion, G. S. Kutter, and S. Starrfield, *BAAS.*, **22**, 843, 1990.
- 30) "The Hot Component Wind in the Symbiotic Star BF Cygni: Accretion Disk and Steady Nuclear Burning", C. R. Ready, E. M. Sion, and S. Starrfield, *BAAS*, **22**, 1294, 1990.
- 31) "Accretion onto Oxygen-Neon-Magnesium White Dwarfs", S. Starrfield, M. Politano, A. Weiss, J. W. Truran, W. M. Sparks, *BAAS.*, **22**, 1211, 1990.
- 32) "Hydrodynamic Studies of Accretion onto ONeMg White Dwarfs Using a Large Nuclear Reaction Network", S. Starrfield, M. Politano, J. W. Truran, W. M. Sparks, and A. Weiss, *BAAS.*, **23**, 967-968, 1991.
- 33) "Hydrodynamic Studies of Accretion onto Massive White Dwarfs: ONeMg Enriched Nova Outbursts", M. Politano, S. Starrfield, W. M. Sparks, and J. W. Truran, *BAAS.*, **23**, 1324, 1991.

- 34) "Alternating States of the Unusual Emission Object MWC 560", A. G. Michalitsianos, S. P. Maran, R. J. Oliverson, G. Sonneborn, S. N. Shore, and S. Starrfield, *BAAS*, **23**, 1377, 1991.
- 35) "Multiwavelength Studies of Nova Shells", P. Saizar, G. Ferland, R.M. Wagner, S. Starrfield, L. Stryker, W. Sparks, R.E. Williams, J. Truran, S.J. Kenyon, *BAAS*, **23**, 1463, 1991.
- 36) "Hydrodynamic Studies of Accretion onto ONeMg White Dwarfs", W. M. Sparks, S. Starrfield, M.J. Politano, J. W. Truran, and A. Weiss, in *Vina del Mar Workshop on Cataclysmic Variable Stars*, ed. N. Vogt (Ast. Soc. Pac. Press: San Francisco), 166, 1992.
- 37) "HST Observations of Cool White Dwarf Stars", H. Shipman, M. Barnhill, S. Roby, I. Bues, F. Cordova, G. Hammond, P. Hintzen, D. Koester, J. Liebert, T. Oswalt, S. Starrfield, G. Wegner, and V Weidemann, *B AAS*, **24**, 1128, 1992.
- 38) "Prediction of the  $^{22}\text{Na}$  and  $^{26}\text{Al}$  Production and  $\gamma$ -ray emission from Nova Cyg 1992 and Nova Her 1991", S. Starrfield, J. W. Truran, W. M. Sparks, S. N. Shore, G. Sonneborn, R. M. Wagner, R. Gonzalez-Riestra, P. H. Hauschildt, S. Austin, and K. Vanlandingham, *B AAS*, **24**, 1190, 1992.
- 39) "Voyager Observations of Nova Cygni 1992 Below Lyman  $\alpha$ ", R. S. Polidan, S. N. Shore, S. Starrfield, and G. Sonneborn, *B AAS*, **24**, 1191, 1992.
- 40) "The Ultraviolet Development of Nova Cygni 1992 with IUE and HST", S. N. Shore, T. B. Ake, S. Starrfield, G. Sonneborn, and R. Gonzalez-Riestra, *B AAS*, **24**, 1191, 1992.
- 41) "A Prediction of Compton Scattered X-rays from  $^{22}\text{Na}$  in Nova Cyg 1992", D. Hollowell, W. M. Sparks, and S. Starrfield, *B AAS*, **24**, 1191, 1992.
- 42) "Ultraviolet, Optical, and Radio Observations of the Transient X-Ray Source GRO J0422+32", C. R. Shrader, R. M. Wagner, S. G. Starrfield, R. Hjellming, and X.H. Han, *B AAS*, **24**, 1237, 1992.
- 43) "Spherical, Expanding, NLTE Model Atmosphere Studies of Nova Cyg 1992", P. H. Hauschildt, S. Starrfield, S. Austin, R. M. Wagner, S. N. Shore, R. Wehrse, and G. Shaviv, *B AAS*, **24**, 1280, 1992.
- 44) "Optical Spectrophotometry of the ONeMg Nova Cyni 1992", S. J. Austin, S. Starrfield, R. M. Wagner, R. bertram, B. M. Peterson, and S. N. Shore, *B AAS*, **24**, 1284, 1992.
- 45) "Optical and Ultraviolet Spectrophotometry of the ONeMg Nova Her 1991", K. M. Vanlandingham, S. Starrfield, R. M. Wagner, S. N. Shore", *B AAS*, **24**, 1284, 1992
- 46) "Hydrodynamic Studies of Accretion onto Massive White Dwarfs: ONeMg Enriched Nova Outbursts", M. Politano, S. Starrfield, W. M. Sparks, J. W. Truran, *B AAS*, **24**, 1285.
- 47) "Flickering in MWC 560 and a Comparison with the Symbiotic Star CH Cyg" S. P. Maran, A. G. Michalitsianos, G. Sonneborn, R. J. Oliverson, J. Karovska, M Perez, S. N. Shore, J. R. Webb, S. G. Starrfield, *BAAS*, **24**, 1286.
- 48) "Optical Spectrophotometry of the ONeMg nova Cygni 1992" S. Austin, S. Starrfield, R. M. Wagner, R. Bertram, B. M. Peterson, S. N. Shore, G. Sonneborn, in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol) p. 274, 1993.
- 49) "A Prediction of Compton Scattered Gamma-rays from  $^{22}\text{Na}$  in Nova Cyg 1992", D. Hollowell, W. M. Sparks, and S. Starrfield in in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol) p. 290, 1993.

- 50) "Prediction of the  $^{22}\text{Na}$  and  $^{26}\text{Al}$  Production and Gamma-ray Emission from Nova Cyg 1992 and Nova Her 1991", S. Starrfield, J.W. Truran, W. M. Sparks, S. N. Shore, G. Sonneborn, R. M. Wagner, R. Gonzalez-Riestra, P. H. Hauschildt, S. Austin, and K. Vanlandingham, in *Cataclysmic Variables and Related Physics: 2nd Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Inst. of Physics: Bristol) p. 320, 1993.
- 51) "Optical and UV Spectrophotometry of the ONeMg Nova Her 1991" K. Vanlandingham, S. Starrfield, R. M. Wagner, S. N. Shore, G. Sonneborn, in *Cataclysmic Variables and Related Physics: Second Haifa-Technion Workshop on Cataclysmic Variable Stars. Eilat, Israel*, ed. O. Regev and G. Shaviv, (Institute of Physics: Bristol) p. 327, 1993.
- 52) "Elemental Abundances for Nova Hercules 1991 Determined from Combined Ultraviolet and Optical Spectroscopy" K.M. Vanlandingham, S. Starrfield, R. M. Wagner, S. N. Shore, and G. Sonneborn, BAAS, 26, 936, 1994.
- 53) "Abundance Determinations for Nova V1974 Cyg Using the Metropolis Algorithm" S. J. Austin, S. Starrfield, R. M. Wagner, R. Bertram, S. N. Shore, and G. Sonneborn, BAAS, 26, 937, 1994.
- 54) "Non-LTE Modeling of Nova Andromeda 1986" G. Schwarz, P. Hauschildt, S. Starrfield, F. Allard, G. Sonneborn, and S. N. Shore, BAAS, 26, 937, 1994.
- 55) "Spectroscopy and Photometry of Novae in Quiescence" R.M. Wagner, S. Starrfield, S. J. Austin, and K. M. Vanlandingham, BAAS, 26, 1324, 1994.
- 56) "The Ultraviolet Evolution of GQ Mus from 1986 to 1994" S. Starrfield, I. Idan, G. Shaviv, S. N. Shore, J. Krautter, G. Sonneborn, BAAS, 26, 1324, 1994.
- 57) "CGRO Observations of Nova Herculis 1991 and Nova Cygni 1992" C. Shrader, S. Starrfield, J. W. Truran, M. D. Leising, and S. N. Shore, BAAS, 26, 1325, 1994.
- 58) "A New Generation of Evolutionary Sequences for Novae", S. Starrfield, P. H. Hauschildt, J. W. Truran, W. M. Sparks, and M. Wiescher, BAAS, in press, 1995.

## 6. IAU CIRCULARS

- 1) IAUC 4501: "NOVA VULPECULAE 1987," S. G. Starrfield and G. Sonneborn, 1987.
- 2) IAUC 4600: "ASM2000 + 25," R. M. Wagner, A. A. Henden and R. Bertram, and S. G. Starrfield, 1988.
- 3) IAUC 4610: "NOVA IN THE LARGE MAGELLANIC CLOUD," G. Sonneborn, S. Starrfield and W. Sparks, 1988.
- 4) IAUC 4783: "V404 CYGNI," R. M. Wagner, S. G. Starrfield, and A. Cassatella, 1989.
- 5) IAUC 4786: "V404 CYGNI=GS2023 + 338," R. M. Wagner, and S. Starrfield, 1989.
- 6) IAUC 4797: "V404 CYGNI," R. M. Wagner, T. J. Kreidl, S. B. Howell, G. W. Collins and S. Starrfield, 1989.
- 7) IAUC 4822: "V745 SCORPII," R. M. Wagner, R. Bertram, S. Starrfield, and S. Shore, 1989.
- 8) IAUC 4826: "V745 SCORPII," S. Shore, G. Sonneborn, and S. Starrfield, 1989.

- 9) IAUC 4947: "NOVA IN THE LARGE MAGELLANIC CLOUD 1990," S. Shore, G. Sonneborn, C. Shrader, and S. Starrfield, 1990.
- 10) IAUC 4949: "NOVA IN THE LARGE MAGELLANIC CLOUD 1990," S. Shore, G. Sonneborn, C. Shrader, and S. Starrfield, 1990.
- 11) IAUC 5006: "V3890 SAGITTARI," R. M. Wagner, R. Bertram, and S. G. Starrfield, 1990.
- 12) IAUC 5008: "LILLER'S VARIABLE IN SAGITTARIUS," R. M. Wagner, S. G. Starrfield, S. Austin, 1990.
- 13) IAUC 5226: "TUE OBSERVATIONS OF NOVA HER 1991" G. Sonneborn, S. N. Shore, and S. Starrfield. 1991
- 14) IAUC 5227: "OPTICAL SPECTROSCOPIC OBSERVATIONS OF NOVA HER 1991" R. M. Wagner, R. Bertram, S. Ali, and S. Starrfield, 1991
- 15) IAUC 5243: "NOVA OPHIUCHI 1991" R. M. Wagner and S. Starrfield, 1991
- 16) IAUC 5257: "NOVA IN THE LARGE MAGELLANIC CLOUD" S. N. Shore, S. Starrfield, and G. Sonneborn, 1991
- 17) IAUC5299: "NOVA IN THE LARGE MAGELLANIC CLOUD" G. Sonneborn, S. N. Shore, R. Gonzalez-Riestra, A. Cassatella, D. de Martino, and S. Starrfield, 1991
- 18) IAUC5355: "MWC 560" A. Michalitsianos, R. J. Oliverson, G. Sonneborn, S. P. Maran, S. N. Shore, and S. Starrfield, 1991.
- 19) IAUC5362: "NOVA IN THE LARGE MAGELLANIC CLOUD" S. N. Shore, S. Starrfield, G. Sonneborn, 1991
- 20) IAUC5428: "NOVA PUPPIS 1991", G. Sonneborn, S. N. Shore, S. Starrfield, 1992
- 21) IAUC5447: "NOVA PUPPIS 1991", S. N. Shore, G. Sonneborn, R. Gonzalez-Riestra, S. Starrfield, J. Krautter, 1992.
- 22) IAUC5456: "NOVA CYGNI 1992", G. Sonneborn, R. Polidan, and S. Starrfield, 1992.
- 23) IAUC5461: "NOVA CYGNI 1992", G. Sonneborn, S. N. Shore, S. Starrfield, and R. Gonzalez-Riestra, 1992.
- 24) IAUC5522: "Nova Cygni 1992", S. Austin, S. Starrfield, R. M. Wagner, R. Bertram, B. M. Peterson, M. Houdashelt, S. N. Shore. 1992.
- 25) IAUC5523: "Nova Cygni 1992", S. N. Shore, S. Starrfield, S. Austin, R. Gonzalez-Riestra, G. Sonneborn, and R. M. Wagner, 1992.
- 26) IAUC5550: "Nova Cygni 1992", J. Krautter, H. Ogelman, S. Starrfield, 1992.
- 27) IAUC5589: "GRO J0422+32", R. M. Wagner, R. Bertram, S. Starrfield, and C. R. Shrader, 1992.
- 28) IAUC5591: "GRO J0422+32", C. R. Shrader, R. M. Wagner, S. Starrfield, 1992.
- 29) IAUC5614: "Nova Cygni 1992", S. N. Shore, T. B. Ake, S. Starrfield, G. Sonneborn, R. Gonzalez-Riestra, S. Kraemer, B. Altner, 1992.

- 30) IAUC5657: "Nova in the Large Magellanic Cloud 1992", S. N. Shore, S. Starrfield, R. Gonzalez-Riestra, and G. Sonneborn, 1992.
- 31) IAUC5747: "Nova V1974 Cyg 1992", S. N. Shore, S. Starrfield, T. Ake, R. Gonzalez-Riestra, 1993.
- 32) IAUC5793: "Nova Aquilae 1993", S. Austin, S. Starrfield, and R. M. Wagner, 1993.
- 33) IAUC5907: "GRO J0422+32", R. M. Wagner, M. E. Everett, C. Shrader, S. Starrfield, 1993.
- 34) IAUC5925: "Nova Cassiopeiae 1993", S. N. Shore, S. Starrfield, P. Hauschildt, G. Sonneborn, R. Gonzalez-Riestra, 1994.
- 35) IAUC5938: "Nova Cassiopeiae 1993", S. N. Shore, S. Starrfield, P. Hauschildt, R. Gonzalez-Riestra, and G. Sonneborn, 1994.
- 36) IAUC5993: "Nova Sagittari 1994 No. 2" S. Austin, G. Schwarz, S. Starrfield, and R. M. Wagner, 1994
- 37) IAUC6134: "Nova Aquilae 1995", R. M. Wagner, R. Bertram, and S. Starrfield, 1995.